



# CNTP-001

Sample ID: 2309CRG1614.3824  
Strain: Cann Thunder Pop  
Matrix: Ingestible  
Type: Beverage  
Sample Size: 4 units; Batch:

Produced: 09/20/2023  
Collected:  
Received: 09/22/2023  
Completed: 09/27/2023  
Batch#: CNTP-001

Client  
**SOCALI Manufacturing Inc**  
Lic. #  
555 Rose Ave #6  
Venice, CA 90291



## Summary

| Test              | Date Tested | Result |
|-------------------|-------------|--------|
| Batch             |             | Pass   |
| Cannabinoids      | 09/25/2023  | Pass   |
| Residual Solvents | 09/22/2023  | Pass   |
| Microbials        | 09/27/2023  | Pass   |
| Mycotoxins        | 09/26/2023  | Pass   |
| Pesticides        | 09/26/2023  | Pass   |
| Heavy Metals      | 09/27/2023  | Pass   |
| Foreign Matter    | 09/22/2023  | Pass   |

## Cannabinoids

Pass

|  |  |  |  |
|--|--|--|--|
| <b>5.376 mg/serving</b><br>10.753 mg/container<br><b>Total THC</b> | <b>5.408 mg/serving</b><br>10.817 mg/container<br><b>Total CBD</b> | <b>10.785 mg/serving</b><br>21.569 mg/container<br><b>Total Cannabinoids</b> | <b>10.785 mg/serving</b><br>21.569 mg/container<br><b>Total Unconverted Cannabinoids</b> |
|--|--|--|--|

| Analyte      | LOD    | LOQ    | Results      | Results | Results | Results       | Results       | Results       |
|--------------|--------|--------|--------------|---------|---------|---------------|---------------|---------------|
|              | mg/g   | mg/g   | %            | mg/g    | mg/mL   | mg/unit       | mg/serving    | mg/container  |
| THCa         | 0.0007 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| Δ9-THC       | 0.0006 | 0.0010 | 0.003        | 0.030   | 0.030   | 5.376         | 5.376         | 10.753        |
| Δ8-THC       | 0.0007 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| THCV         | 0.0008 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| CBDa         | 0.0008 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| CBD          | 0.0005 | 0.0010 | 0.003        | 0.030   | 0.030   | 5.408         | 5.408         | 10.817        |
| CBDV         | 0.0008 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| CBN          | 0.0003 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| CBGa         | 0.0008 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| CBG          | 0.0006 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| CBC          | 0.0008 | 0.0010 | ND           | ND      | ND      | ND            | ND            | ND            |
| <b>Total</b> |        |        | <b>0.006</b> |         |         | <b>10.785</b> | <b>10.785</b> | <b>21.569</b> |

Notes: 1 Unit = Beverage, 180.553g. 1 mL = 1.0172g. 1 unit(s) per serving. 2 serving(s) per container.

Method: HPLC SOP-420

Total THC means the sum of THC, delta 8 THC, and THCA. Total THC is calculated using the following equation: Total THC (mg/g) = [(delta 8-THCA concentration (mg/g) + delta 9-THCA concentration (mg/g)) x 0.877] + [delta 8-THC concentration (mg/g) + delta 9-THC concentration (mg/g)]

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control

|  |  |                                      |
|--|--|--------------------------------------|
| <b>NT</b><br>Not Tested<br><b>Moisture Content</b> | <b>NT</b><br>Not Tested<br><b>Water Activity</b> | <b>Pass</b><br><b>Foreign Matter</b> |
|--|--|--------------------------------------|



ISO/IEC 17025:2017 ACCREDITED CRT# 60999.01

*Ronald Montez*  
Ronald Montez  
Lab Director  
09/27/2023

*Seth Dixon*  
Seth Dixon, PhD  
Chief Chemist  
09/27/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



# CNTP-001

Sample ID: 2309CRG1614.3824  
Strain: Cann Thunder Pop  
Matrix: Ingestible  
Type: Beverage  
Sample Size: 4 units; Batch:

Produced: 09/20/2023  
Collected:  
Received: 09/22/2023  
Completed: 09/27/2023  
Batch#: CNTP-001

Client  
SOCALI Manufacturing Inc  
Lic. #  
555 Rose Ave #6  
Venice, CA 90291

## Pesticides

Pass

| Analyte             | LOD   | LOQ   | Limit  | Results | Status | Analyte                 | LOD   | LOQ   | Limit  | Results | Status |
|---------------------|-------|-------|--------|---------|--------|-------------------------|-------|-------|--------|---------|--------|
|                     | µg/g  | µg/g  | µg/g   | µg/g    |        |                         | µg/g  | µg/g  | µg/g   | µg/g    |        |
| Abamectin           | 0.004 | 0.031 | 0.300  | ND      | Pass   | Fludioxonil             | 0.004 | 0.031 | 30.000 | ND      | Pass   |
| Acephate            | 0.008 | 0.031 | 5.000  | ND      | Pass   | Hexythiazox             | 0.003 | 0.031 | 2.000  | ND      | Pass   |
| Acequinocyl         | 0.007 | 0.031 | 4.000  | ND      | Pass   | Imazalil                | 0.010 | 0.031 | 0.010  | ND      | Pass   |
| Acetamiprid         | 0.004 | 0.031 | 5.000  | ND      | Pass   | Imidacloprid            | 0.005 | 0.031 | 3.000  | ND      | Pass   |
| Aldicarb            | 0.010 | 0.031 | 0.010  | ND      | Pass   | Kresoxim Methyl         | 0.007 | 0.031 | 1.000  | ND      | Pass   |
| Azoxystrobin        | 0.006 | 0.031 | 40.000 | ND      | Pass   | Malathion               | 0.009 | 0.031 | 5.000  | ND      | Pass   |
| Bifenazate          | 0.005 | 0.031 | 5.000  | ND      | Pass   | Metalaxyl               | 0.004 | 0.031 | 15.000 | ND      | Pass   |
| Bifenthrin          | 0.007 | 0.031 | 0.500  | ND      | Pass   | Methiocarb              | 0.010 | 0.031 | 0.010  | ND      | Pass   |
| Boscalid            | 0.006 | 0.031 | 10.000 | ND      | Pass   | Methomyl                | 0.006 | 0.031 | 0.100  | ND      | Pass   |
| Captan              | 0.050 | 0.061 | 5.000  | ND      | Pass   | Mevinphos               | 0.015 | 0.031 | 0.015  | ND      | Pass   |
| Carbaryl            | 0.003 | 0.031 | 0.500  | ND      | Pass   | Myclobutanil            | 0.007 | 0.031 | 9.000  | ND      | Pass   |
| Carbofuran          | 0.010 | 0.031 | 0.010  | ND      | Pass   | Naled                   | 0.004 | 0.031 | 0.500  | ND      | Pass   |
| Chlorantraniliprole | 0.006 | 0.031 | 40.000 | ND      | Pass   | Oxamyl                  | 0.004 | 0.031 | 0.200  | ND      | Pass   |
| Chlordane           | 0.029 | 0.061 | 0.030  | ND      | Pass   | Pacllobutrazol          | 0.010 | 0.031 | 0.010  | ND      | Pass   |
| Chlorfenapyr        | 0.029 | 0.061 | 0.030  | ND      | Pass   | Parathion Methyl        | 0.029 | 0.061 | 0.030  | ND      | Pass   |
| Chlorpyrifos        | 0.010 | 0.031 | 0.010  | ND      | Pass   | Pentachloronitrobenzene | 0.024 | 0.061 | 0.200  | ND      | Pass   |
| Clofentazine        | 0.013 | 0.031 | 0.500  | ND      | Pass   | Permethrin              | 0.011 | 0.031 | 20.000 | ND      | Pass   |
| Coumaphos           | 0.010 | 0.031 | 0.010  | ND      | Pass   | Phosmet                 | 0.005 | 0.031 | 0.200  | ND      | Pass   |
| Cyfluthrin          | 0.038 | 0.061 | 1.000  | ND      | Pass   | Piperonyl Butoxide      | 0.005 | 0.031 | 8.000  | ND      | Pass   |
| Cypermethrin        | 0.036 | 0.061 | 1.000  | ND      | Pass   | Prallethrin             | 0.008 | 0.031 | 0.400  | ND      | Pass   |
| Daminozide          | 0.029 | 0.061 | 0.030  | ND      | Pass   | Propiconazole           | 0.006 | 0.031 | 20.000 | ND      | Pass   |
| Diazinon            | 0.004 | 0.031 | 0.200  | ND      | Pass   | Propoxur                | 0.010 | 0.031 | 0.010  | ND      | Pass   |
| Dichlorvos          | 0.010 | 0.031 | 0.010  | ND      | Pass   | Pyrethrins              | 0.006 | 0.031 | 1.000  | ND      | Pass   |
| Dimethoate          | 0.010 | 0.031 | 0.010  | ND      | Pass   | Pyridaben               | 0.004 | 0.031 | 3.000  | ND      | Pass   |
| Dimethomorph        | 0.011 | 0.031 | 20.000 | ND      | Pass   | Spinetoram              | 0.016 | 0.031 | 3.000  | ND      | Pass   |
| Ethoprophos         | 0.010 | 0.031 | 0.010  | ND      | Pass   | Spinosad                | 0.017 | 0.031 | 3.000  | ND      | Pass   |
| Etofenprox          | 0.010 | 0.031 | 0.010  | ND      | Pass   | Spiromesifen            | 0.007 | 0.031 | 12.000 | ND      | Pass   |
| Etozazole           | 0.003 | 0.031 | 1.500  | ND      | Pass   | Spirotetramat           | 0.005 | 0.031 | 13.000 | ND      | Pass   |
| Fenhexamid          | 0.011 | 0.031 | 10.000 | ND      | Pass   | Spiroxamine             | 0.010 | 0.031 | 0.010  | ND      | Pass   |
| Fenoxycarb          | 0.010 | 0.031 | 0.010  | ND      | Pass   | Tebuconazole            | 0.006 | 0.031 | 2.000  | ND      | Pass   |
| Fenpyroximate       | 0.003 | 0.031 | 2.000  | ND      | Pass   | Thiacloprid             | 0.010 | 0.031 | 0.010  | ND      | Pass   |
| Fipronil            | 0.010 | 0.031 | 0.010  | ND      | Pass   | Thiamethoxam            | 0.006 | 0.031 | 4.500  | ND      | Pass   |
| Fonicamid           | 0.008 | 0.031 | 2.000  | ND      | Pass   | Trifloxystrobin         | 0.002 | 0.031 | 30.000 | ND      | Pass   |

Date Tested: 09/26/2023

Method: LC-MS/MS& GC-MS/MS SOP-426. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control



ISO/IEC 17025:2017 ACCREDITED CRT# 6099.01

*Ronald Montez*

Ronald Montez  
Lab Director  
09/27/2023

*Seth Dixon*

Seth Dixon, PhD  
Chief Chemist  
09/27/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



California Ag Labs  
430 C St  
Marysville, CA 95901

(530) 599-9001  
/www.calaglabs.com  
Lic# C8-0000001-LIC

# CNTP-001

Sample ID: 2309CRG1614.3824  
Strain: Cann Thunder Pop  
Matrix: Ingestible  
Type: Beverage  
Sample Size: 4 units; Batch:

Produced: 09/20/2023  
Collected:  
Received: 09/22/2023  
Completed: 09/27/2023  
Batch#: CNTP-001

Client  
**SOCALI Manufacturing Inc**  
Lic. #  
555 Rose Ave #6  
Venice, CA 90291

## Microbials

Pass

| Analyte        | Results                     | Status |
|----------------|-----------------------------|--------|
| E. Coli        | CFU/g<br>Not Detected in 1g | Pass   |
| Salmonella SPP | Not Detected in 1g          | Pass   |



Date Tested: 09/27/2023  
Method: qPCR SOP-424. TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The Decision rule for stating results as pass or fail corresponds to the limits set by CA-DCC.



*Ronald Montez*  
Ronald Montez  
Lab Director  
09/27/2023

*Seth Dixon*  
Seth Dixon, PhD  
Chief Chemist  
09/27/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



California Ag Labs  
430 C St  
Marysville, CA 95901

(530) 599-9001  
/www.calaglabs.com  
Lic# C8-0000001-LIC

# CNTP-001

Sample ID: 2309CRG1614.3824  
Strain: Cann Thunder Pop  
Matrix: Ingestible  
Type: Beverage  
Sample Size: 4 units; Batch:

Produced: 09/20/2023  
Collected:  
Received: 09/22/2023  
Completed: 09/27/2023  
Batch#: CNTP-001

Client  
**SOCALI Manufacturing Inc**  
Lic. #  
555 Rose Ave #6  
Venice, CA 90291

## Mycotoxins

Pass

| Analyte          | LOD<br>µg/kg | LOQ<br>µg/kg | Limit<br>µg/kg | Results<br>µg/kg | Status |
|------------------|--------------|--------------|----------------|------------------|--------|
| B1               | 4.96         | 5            |                | ND               | Tested |
| B2               | 3.56         | 5            |                | ND               | Tested |
| G1               | 4.92         | 5            |                | ND               | Tested |
| G2               | 4.02         | 5            |                | ND               | Tested |
| Ochratoxin A     | 4.95         | 5            | 20             | ND               | Pass   |
| Total Aflatoxins | 4.96         | 5            | 20             | ND               | Pass   |

Date Tested: 09/26/2023

Method: LC-MS/MS SOP-425. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control



ISO/IEC 17025:2017 ACCREDITED CRT# 6099.01

Ronald Montez  
Lab Director  
09/27/2023

Seth Dixon, PhD  
Chief Chemist  
09/27/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



## CNTP-001

Sample ID: 2309CRG1614.3824  
Strain: Cann Thunder Pop  
Matrix: Ingestible  
Type: Beverage  
Sample Size: 4 units; Batch:

Produced: 09/20/2023  
Collected:  
Received: 09/22/2023  
Completed: 09/27/2023  
Batch#: CNTP-001

Client  
**SOCALI Manufacturing Inc**  
Lic. #  
555 Rose Ave #6  
Venice, CA 90291

### Residual Solvents

Pass

| Analyte             | LOD    | LOQ    | Limit | Results | Status |
|---------------------|--------|--------|-------|---------|--------|
|                     | µg/g   | µg/g   | µg/g  | µg/g    |        |
| 1,2-Dichloro-Ethane | 0.225  | 0.469  | 1     | ND      | Pass   |
| Acetone             | 12.462 | 46.873 | 5000  | ND      | Pass   |
| Acetonitrile        | 16.464 | 46.873 | 410   | ND      | Pass   |
| Benzene             | 0.239  | 0.469  | 1     | ND      | Pass   |
| Butane              | 16.937 | 46.873 | 5000  | ND      | Pass   |
| Chloroform          | 0.247  | 0.469  | 1     | ND      | Pass   |
| Ethanol             | 13.762 | 46.873 | 5000  | <LOQ    | Pass   |
| Ethyl-Acetate       | 12.547 | 46.873 | 5000  | ND      | Pass   |
| Ethyl-Ether         | 28.899 | 46.873 | 5000  | ND      | Pass   |
| Ethylene Oxide      | 0.225  | 0.469  | 1     | ND      | Pass   |
| Heptane             | 11.723 | 46.873 | 5000  | ND      | Pass   |
| Isopropanol         | 12.209 | 46.873 | 5000  | ND      | Pass   |
| Methanol            | 22.99  | 46.873 | 3000  | <LOQ    | Pass   |
| Methylene-Chloride  | 0.258  | 0.469  | 1     | ND      | Pass   |
| n-Hexane            | 29.171 | 46.873 | 290   | ND      | Pass   |
| Pentane             | 15.568 | 46.873 | 5000  | ND      | Pass   |
| Propane             | 17.861 | 46.873 | 5000  | ND      | Pass   |
| Toluene             | 29.384 | 46.873 | 890   | ND      | Pass   |
| Trichloroethene     | 0.274  | 0.469  | 1     | ND      | Pass   |
| Xylenes             | 27.174 | 46.873 | 2170  | ND      | Pass   |

Date Tested: 09/22/2023

Method: HS-GCMS SOP-429. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control



ISO/IEC 17025:2017 ACCREDITED CRT# 6099.01

Ronald Montez  
Lab Director  
09/27/2023

Seth Dixon, PhD  
Chief Chemist  
09/27/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



California Ag Labs  
430 C St  
Marysville, CA 95901

(530) 599-9001  
/www.calaglabs.com  
Lic# C8-0000001-LIC

# CNTP-001

Sample ID: 2309CRG1614.3824  
Strain: Cann Thunder Pop  
Matrix: Ingestible  
Type: Beverage  
Sample Size: 4 units; Batch:

Produced: 09/20/2023  
Collected:  
Received: 09/22/2023  
Completed: 09/27/2023  
Batch#: CNTP-001

Client  
**SOCALI Manufacturing Inc**  
Lic. #  
555 Rose Ave #6  
Venice, CA 90291

## Heavy Metals

Pass

| Analyte | LOD     | LOQ       | Limit | Results | Status |
|---------|---------|-----------|-------|---------|--------|
|         | µg/g    | µg/g      | µg/g  | µg/g    |        |
| Arsenic | 0.0637  | 0.0976565 | 1.5   | <LOQ    | Pass   |
| Cadmium | 0.06455 | 0.0976565 | 0.5   | ND      | Pass   |
| Lead    | 0.07025 | 0.0976565 | 0.5   | <LOQ    | Pass   |
| Mercury | 0.0756  | 0.0976565 | 3     | ND      | Pass   |

Date Tested: 09/27/2023

Method: ICP-MS SOP-423. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control



ISO/IEC 17025:2017 ACCREDITED CRT# 6099.01

Ronald Montez  
Lab Director  
09/27/2023

Seth Dixon, PhD  
Chief Chemist  
09/27/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.